



## INDIVIDUAL TRANSPORT CONCEPTS

RACING CARS & CLASSIC CARS


# AT MOETEFINDT,

we've been finding the perfect solution for your transport or corporate image for over 40 years. Whether it's a vehicle or machine transporter, a promo or sales vehicle – Moetefindt will develop made-to-measure trailers and structures for your specific purpose.

Yours,



JENS MOETEFINDT



- 04 CONCEPT
- 06 FLEXIBILITY
- 08 SAFETY
- 10 EFFICIENCY
- 12 DYNAMICS
  
- 14 CONSTRUCTION
  
- 18 BASE MODELS
- 20 FTP 228
- 22 FTP 235
- 24 FTK 228
- 26 FTK 235
  
- 28 EQUIPMENT
- 30 EXTERIOR
- 34 INTERIOR
- 36 TECHNOLOGY
  
- 38 SERVICE



# CONCEPT

---


INDIVIDUALITY, SAFETY,  
EFFICIENCY AND  
EASE OF USE:  
*THE MOETEFINDT CONCEPT.*

The Moetefindt Concept is based on four fundamental values: flexibility, safety, efficiency and dynamics. We understand our customers' needs and deliver individually customised solutions. Our selection of premium materials and technologies not only ensures the safety of your transports but also guarantees maximum efficiency. And our well-thought-out fittings and equipment facilitate easy loading and unloading of your vehicle. Over 40 years of experience in building custom transporters and our undying passion for motor racing form the basis of the success of the Moetefindt concept.

**NO TWO VEHICLES  
AND NO TWO  
TRAILERS  
ARE THE SAME:  
*MOETEFINDT  
TRUCKS AND  
TRAILERS  
CUSTOM MADE.***

Whether you have to load and unload a racing car quickly and often down at the track, or transport a vintage car safely all the way to the Côte d'Azur: the ideal trailer will depend very much on your particular needs. That is what we at Moetefindt specialise in: almost every aspect of our trailers, from design to finish, can be configured the way you want it – shape, size, permitted load, tarpaulin or shutter sides, technical equipment and specifications, materials and paintwork. It is true German bespoke craftsmanship at its best.





*MOST PRECIOUS  
THINGS ARE  
BEYOND PRICE.*

Some vehicles are like irreplaceable jewels. Since it's impossible to put a price on them, it is essential to protect them. We apply all of our knowledge and experience to ensure that your vehicle is as well secured and protected as possible. Hence, we offer you various security fittings such as a three-part mirror system, a reverse camera, a flexible strapping system and an alarm system. Upon request we also provide a GPS tracking system. And last but not least our robust frames of course.

ON LONG  
JOURNEYS,  
*EFFICIENCY*  
IS THE  
DESTINATION.



Moetefindt trailers have been carefully thought out down to the smallest detail, and it pays off: their aerodynamic design and maintenance-free air suspension make driving more comfortable, minimise consumption, and reduce wear on the tyres. And because they are approved for speeds up to 100 km/h, you will get to where you are going more quickly as well.



THE AIM IS  
*SPEED* THROUGH  
EASE OF USE.

With their optimised handling, our transporters can easily be opened or closed by one person in just 30 seconds. An automatic tilting mechanism makes work quick because you don't need any extra help. Convenient radio control makes loading and unloading a precision procedure.



# CONSTRUCTION

---

INDIVIDUAL NEEDS  
REQUIRE CUSTOM *CONSTRUCTIONS*.

Each vehicle transporter is made entirely of aluminium to individual specifications. Our products stand out for their low tare weight and long service life. Its aerodynamic design not only makes it look unique but also gives very little air resistance, which helps reduce consumption in your towing vehicle. Because its tarpaulin or shutter sides can be completely opened, it's always easy to get in and out of your vehicle even when loaded on the trailer. The rear door, which can be operated with one hand, also doubles as a ramp.

# MOETEFINDT HOUSINGS: *PRECISION* WITH LOOKS.



FTP BASIC FORM



FTP 30° PITCH



FTP PROW

### TARPULIN DESIGN

The version of the trailer with sliding tarpaulins on either side makes loading an easy affair. The tarpaulin frame is guided along rails, keeping things orderly even when you are working under pressure. As for the shutter version, its frame is entirely made of aluminium. The tarpaulins can be in any colour and printed with anything you want. We can construct your transporter according to your needs (see table below).

TYPE	WEIGHT	UNLADEN WEIGHT <sup>1</sup>	PAYLOAD <sup>2</sup>	INTERIOR LENGTH	INTERIOR WIDTH	INTERIOR HEIGHT
FTP 228	2,8 t Tandem	800 kg	2000 kg	5,40 m – 5,70 m	2,10 m – 2,45 m	1,50 m – 1,70 m
FTP 235	3,5 t Tandem	980 kg	2520 kg	5,50 m – 6,50 m	2,25 m – 2,45 m	1,80 m – 2,40 m



FTK BASIC FORM



FTK 45° PITCH

### SHUTTER DESIGN

The shutter design is only slightly heavier and offers maximum security against theft and vandalism. The smooth side walls are built using sandwich aluminium. They have internal locks, are weatherproof and can be painted in any colour for presentation purposes. You can have the trailer as a whole designed completely according to your requirements (see table below).



FTK PROW

The aerodynamic of the tarpaulin or shutter sides are increased by the 30° or rather 45° pitch and thereby reduce the consumption of your vehicle.

### DIAGONALLY SHAPED PROW

The front prow offers significantly increased storage capacities to accommodate extra equipment such as a cable winch, a tool-box or spare tires for both tarpaulin and shutter design. Thus, the entire interior length of the transporter is maintained as load space so that even a Porsche with a rear engine can conveniently be loaded facing forward. What's more trailer's significantly improved aerodynamics minimise consumption and optimise its road performance considerably in comparison to the pitch design.

TYPE	WEIGHT	UNLADEN WEIGHT <sup>1</sup>	PAYLOAD <sup>2</sup>	INTERIOR LENGTH	INTERIOR WIDTH	INTERIOR HEIGHT
FTP 228	2,8 t Tandem	920 kg	1880 kg	5,40 m – 5,70 m	2,10 m – 2,45 m	1,50 m – 1,70 m
FTP 235	3,5 t Tandem	1100 kg	2400 kg	5,50 m – 6,50 m	2,25 m – 2,45 m	1,80 m – 2,40 m

<sup>1</sup> Basic form: Unladen weight may increase with add-ons and conversions.  
<sup>2</sup> Basic form: Payload may decrease with add-ons and conversions.



# BASIC MODELS

*BESTSELLERS CUSTOMISED.*

Moetefindt special designs are specially configured vehicle transporters that are ready for immediate use. The basic construction always consists of a base structure suitable for tarpaulin or shutter sides, one running gear with air suspension, automated tilting mechanism, optional RAL paintwork, wooden floor and 2 interior LED lights. And of course, the Moetefindt Concept applies to our basic models as well: every vehicle transporter can be customised according to your needs. On the following pages you will find our configuration suggestions.

# FTP 228



- |  |  |  |  |   |   |   |   |
|--|--|--|--|---|---|---|---|
| <b>CONSTRUCTION</b>  |  | <b>EXTERIOR EQUIPMENT</b>                            |  | <b>INTERIOR EQUIPMENT</b>   |   | <b>TECHNICAL EQUIPMENT</b>                            |   |
| <input type="checkbox"/> BASIC EQUIPMENT                       | <input type="checkbox"/> FTP BASIC FORM      | <input type="checkbox"/> CHASSIS WITH AIR SUSPENSION | <input type="checkbox"/> RAL PAINT WORK                | <input type="checkbox"/> COMPARTMENTS IN BASE                               | <input type="checkbox"/> WOODEN FLOOR               | <input type="checkbox"/> SLIDING CABLE WINCH          | <input type="checkbox"/> ALARM                            |
| <input checked="" type="checkbox"/> SHOWN ADDITIONAL EQUIPMENT | <input type="checkbox"/> FTP 30° PITCH       | <input type="checkbox"/> TILTING MECHANISM           | <input type="checkbox"/> METALLIC PAINTWORK            | <input type="checkbox"/> COVER FOR COMPARTMENTS                             | <input checked="" type="checkbox"/> ALUMINIUM FLOOR | <input checked="" type="checkbox"/> RADIO CONTROL     | <input type="checkbox"/> GPS TRACKING SYSTEM              |
| <input type="checkbox"/> FURTHER APPLICATIONS                  | <input type="checkbox"/> FTP 45° PITCH       | <input type="checkbox"/> ADDITIONAL HYDRAULICS       | <input type="checkbox"/> AWNING                        | <input type="checkbox"/> ADDITIONAL SHELVES                                 | <input type="checkbox"/> FASTENING LASHING RINGS    | <input type="checkbox"/> REVERSE CAMERA               | <input checked="" type="checkbox"/> LED INTERIOR LIGHTING |
|  | <input checked="" type="checkbox"/> FTP PROW | <input checked="" type="checkbox"/> ADDITIONAL RAMPS | <input checked="" type="checkbox"/> COVERING FOR SIDES | <input checked="" type="checkbox"/> PERFORATED FLOOR FASTENING <sup>3</sup> | <input type="checkbox"/> MIRROR SYSTEM              | <input checked="" type="checkbox"/> DEDICATED BATTERY | <input type="checkbox"/> LED EXTERIOR LIGHTING            |

# FTP 235



- |  |  |  |  |   |
|--|--|--|--|---|
| <p><input type="checkbox"/> BASIC EQUIPMENT</p> <p><input checked="" type="checkbox"/> SHOWN ADDITIONAL EQUIPMENT</p> <p><input type="checkbox"/> FURTHER APPLICATIONS</p> | <p><b>CONSTRUCTION</b></p> <p><input checked="" type="checkbox"/> FTP BASIC FORM</p> <p><input type="checkbox"/> FTP 30° PITCH</p> <p><input type="checkbox"/> FTP 45° PITCH</p> <p><input checked="" type="checkbox"/> FTP PROW</p> | <p><b>EXTERIOR EQUIPMENT</b></p> <p><input checked="" type="checkbox"/> CHASSIS WITH AIR SUSPENSION</p> <p><input checked="" type="checkbox"/> TILTING MECHANISM</p> <p><input type="checkbox"/> ADDITIONAL HYDRAULICS</p> <p><input checked="" type="checkbox"/> ADDITIONAL RAMPS</p> <p><input checked="" type="checkbox"/> RAL PAINT WORK</p> <p><input type="checkbox"/> METALLIC PAINTWORK</p> <p><input type="checkbox"/> AWNING</p> <p><input checked="" type="checkbox"/> COVERING FOR SIDES</p> | <p><b>INTERIOR EQUIPMENT</b></p> <p><input checked="" type="checkbox"/> COMPARTMENTS IN BASE</p> <p><input type="checkbox"/> COVER FOR COMPARTMENTS</p> <p><input type="checkbox"/> ADDITIONAL SHELVES</p> <p><input checked="" type="checkbox"/> PERFORATED FLOOR FASTENING<sup>4</sup></p> <p><input type="checkbox"/> WOODEN FLOOR</p> <p><input checked="" type="checkbox"/> ALUMINIUM FLOOR</p> <p><input checked="" type="checkbox"/> FASTENING LASHING RINGS</p> <p><input checked="" type="checkbox"/> MIRROR SYSTEM</p> | <p><b>TECHNICAL EQUIPMENT</b></p> <p><input checked="" type="checkbox"/> SLIDING CABLE WINCH</p> <p><input checked="" type="checkbox"/> RADIO CONTROL</p> <p><input checked="" type="checkbox"/> REVERSE CAMERA</p> <p><input checked="" type="checkbox"/> DEDICATED BATTERY</p> <p><input checked="" type="checkbox"/> ALARM</p> <p><input type="checkbox"/> GPS TRACKING SYSTEM</p> <p><input checked="" type="checkbox"/> LED INTERIOR LIGHTING</p> <p><input checked="" type="checkbox"/> LED EXTERIOR LIGHTING</p> |
|--|--|--|--|---|

# FTK 228



- |   |   |  |  |  |
|---|---|--|--|--|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> BASIC EQUIPMENT</li> <li><input checked="" type="checkbox"/> SHOWN ADDITIONAL EQUIPMENT</li> <li><input type="checkbox"/> FURTHER APPLICATIONS</li> </ul> | <p><b>CONSTRUCTION</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> FTK BASIC FORM</li> <li><input type="checkbox"/> FTK 30° PITCH</li> <li><input checked="" type="checkbox"/> FTK 45° PITCH</li> <li><input type="checkbox"/> FTK PROW</li> </ul> | <p><b>EXTERIOR EQUIPMENT</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> CHASSIS WITH AIR SUSPENSION</li> <li><input checked="" type="checkbox"/> TILTING MECHANISM</li> <li><input type="checkbox"/> ADDITIONAL HYDRAULICS</li> <li><input checked="" type="checkbox"/> ADDITIONAL RAMPS</li> <li><input checked="" type="checkbox"/> RAL PAINT WORK</li> <li><input type="checkbox"/> METALLIC PAINTWORK</li> <li><input type="checkbox"/> AWNING</li> <li><input type="checkbox"/> COVERING FOR SIDES</li> </ul> | <p><b>INTERIOR EQUIPMENT</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> COMPARTMENTS IN BASE</li> <li><input type="checkbox"/> COVER FOR COMPARTMENTS</li> <li><input type="checkbox"/> ADDITIONAL SHELVES</li> <li><input checked="" type="checkbox"/> PERFORATED FLOOR FASTENING<sup>5</sup></li> <li><input type="checkbox"/> WOODEN FLOOR</li> <li><input checked="" type="checkbox"/> ALUMINIUM FLOOR</li> <li><input checked="" type="checkbox"/> FASTENING LASHING RINGS</li> <li><input type="checkbox"/> MIRROR SYSTEM</li> </ul> | <p><b>TECHNICAL EQUIPMENT</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> SLIDING CABLE WINCH</li> <li><input type="checkbox"/> RADIO CONTROL</li> <li><input type="checkbox"/> REVERSE CAMERA</li> <li><input type="checkbox"/> DEDICATED BATTERY</li> <li><input type="checkbox"/> ALARM</li> <li><input type="checkbox"/> GPS TRACKING SYSTEM</li> <li><input checked="" type="checkbox"/> LED INTERIOR LIGHTING</li> <li><input type="checkbox"/> LED EXTERIOR LIGHTING</li> </ul> |
|---|---|--|--|--|

# FTK 235



- |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| <p><b>CONSTRUCTION</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> BASIC EQUIPMENT</li> <li><input checked="" type="checkbox"/> SHOWN ADDITIONAL EQUIPMENT</li> <li><input type="checkbox"/> FURTHER APPLICATIONS</li> </ul> |  | <p><b>EXTERIOR EQUIPMENT</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> FTK BASIC FORM</li> <li><input type="checkbox"/> FTK 30° PITCH</li> <li><input type="checkbox"/> FTK 45° PITCH</li> <li><input checked="" type="checkbox"/> FTK PROW</li> <li><input checked="" type="checkbox"/> CHASSIS WITH AIR SUSPENSION</li> <li><input checked="" type="checkbox"/> TILTING MECHANISM</li> <li><input type="checkbox"/> ADDITIONAL HYDRAULICS</li> <li><input type="checkbox"/> ADDITIONAL RAMPS</li> <li><input checked="" type="checkbox"/> RAL PAINT WORK</li> <li><input type="checkbox"/> METALLIC PAINTWORK</li> <li><input type="checkbox"/> AWNING</li> <li><input checked="" type="checkbox"/> COVERING FOR SIDES</li> </ul> |  | <p><b>INTERIOR EQUIPMENT</b></p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> COMPARTMENTS IN BASE</li> <li><input checked="" type="checkbox"/> COVER FOR COMPARTMENTS</li> <li><input type="checkbox"/> ADDITIONAL SHELVES</li> <li><input checked="" type="checkbox"/> PERFORATED FLOOR FASTENING<sup>6</sup></li> <li><input type="checkbox"/> WOODEN FLOOR</li> <li><input checked="" type="checkbox"/> ALUMINIUM FLOOR</li> <li><input checked="" type="checkbox"/> FASTENING LASHING RINGS</li> <li><input checked="" type="checkbox"/> MIRROR SYSTEM</li> </ul> |  | <p><b>TECHNICAL EQUIPMENT</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> SLIDING CABLE WINCH</li> <li><input checked="" type="checkbox"/> RADIO CONTROL</li> <li><input checked="" type="checkbox"/> REVERSE CAMERA</li> <li><input checked="" type="checkbox"/> DEDICATED BATTERY</li> <li><input checked="" type="checkbox"/> ALARM</li> <li><input type="checkbox"/> GPS TRACKING SYSTEM</li> <li><input checked="" type="checkbox"/> LED INTERIOR LIGHTING</li> <li><input type="checkbox"/> LED EXTERIOR LIGHTING</li> </ul> |  |
|--|--|--|--|--|--|--|--|



# EQUIPMENT

---

INDIVIDUAL NEEDS  
CALL FOR INDIVIDUAL  
*EQUIPMENT.*

The Moetefindt Concept also means you can choose the exterior and interior equipment you want along with the technical features you require. Loading and unloading are made smooth and easy – and faster – with our remote control sliding cable winch, reverse camera, flexible ramps and three-part mirror system. Ingenious storage provides you with additional space for spare parts and tools. Your precious freight is made safe by our intelligent securing systems, an alarm, and a GPS tracking facility. You can decide it all, from the high-end technology inside, to the appearance on the outside.

## CONVENIENCE AND DESIGN: ATTRACTIVE IN EVERY RESPECT.



### TILTING MECHANISM

Air suspension allows your trailer to tilt on its own accord. This works simply by the distribution of weight. The perfect approach angle is achieved without the application of any force at all: as you drive on, the trailer automatically tips back into driving position as soon as the load is evenly distributed. An auxiliary manual pump on the tow bar offers hydraulic assistance and allows you to lock the trailer in tipped position, which is especially important if you're carrying heavy objects such as a motorbike in the nose of the trailer.



### CHASSIS

All-important is the trailer's chassis. Thanks to its air suspension, it is calmer on the road and does not jump up and down, so that the unevenness of the road does not affect you as you drive. This makes the journey safer for you and your towing vehicle – and also quicker, since the trailers are approved up to 100 km/h. Because the air suspension is maintenance-free and reduces wear on the tyres, maintenance costs are kept down.

### ALUMINIUM RIMS IN MOETEFINDT DESIGN

The 12" aluminium rims have been available on special Moetefindt designs since 2019, and have since become part of the standard design of our trailers. We believe that this aluminium rim design, available exclusively from Moetefindt, is a key part of a custom-built aluminium trailer. In addition, the rims are lighter and longer lasting compared to conventional steel rims.



### ADDITIONAL FOLD-OUT RAMPS

As a complement to our fold-out ramps, we offer short trailer ramps that can be trailed in front of the fold-out ramps when loading racing cars with low clearance. Naturally, the fold-out ramps on our trailers have a mount for attaching the trailer ramps.





## COMFORT AND DESIGN: APPEALING IN ANY RESPECT.



### CUSTOM EXTERIOR DESIGN

Depending on the type and scope, we can also handle the exterior design of your trailer. Writing and simple themes are mounted with plotter film, while fine-scale free-form designs can be applied using durable tarpaulin paints. Full-surface images can, at your request, be produced and mounted using 4C digital printing.

### APPEARANCE

We design your trailer to the highest standards and to your specifications, since we know that the exterior not only needs to meet the functional requirements of transport, but should also serve as an ideal platform for presenting your vehicle.

Hence in addition to our extensive RAL colour range we also provide individual metallic paintwork and pasting film in order to guarantee you a powerful presence at the racing track.



### TWO-COLOUR DESIGN

Two-colour designs are an additional option for a custom exterior look. This allows your trailer to echo the colours and design of your car and towing vehicle.

Transparent side panels are another option to stage your car nicely. If required, these can be closed using interior-mounted tarpaulins.

The sun canopy allows you to create your own home base. We adjust the measurements and design to your trailer's tarpaulin or box construction, as well as your individual requests.





## CLARITY AND SAFETY: RESULTS OF INTELLIGENT SYSTEMS.

### FASTENING SYSTEMS

Our state-of-the-art aluminium floor with perforations optimally secures your vehicle. The straps and the red chocks apply directly to the wheel and secure the vehicle vertically downwards. This prevents damage to your vehicle's camber and track, as well as eliminating the danger that tire straps slip and damage the brake lines and ABS sensors. The system has been certified by TÜV SÜD and complies with the VDI 2700 standard.



### FLOOR CONSTRUCTION

In the basic version, the floor is made of Finnish screen-printing plates. The wooden floor can optionally be replaced with an even more robust aluminium floor, which also allows for additional fastening systems, such as straps around the tyres.

### STORAGE CONCEPT

The base of the trailer incorporates storage compartments that are up to 32 cm deep, providing secure storage for crates, tools, and two complete sets of racing wheels. Shelves and workbenches can also be incorporated into the inside of the trailer. What's more additional storage space for example for a set of spare wheels or other, that allows for direct and quick access from the outside, can be incorporated in the prow.



### TÜV SÜD CARGO SECURING CERTIFICATE

Our high performance doesn't end with functionality, workmanship and ease of use: we also offer certified cargo securing. We now have official verification that models (AFDK, LFK & SFK) with our optimised floors and newly patented straps can also transport vehicles with ADS or ADS+. Armoured cars up to 4,200 kg and all other vehicles up to 5,000 kg can be transported as well. This was certified by TÜV in a static and dynamic test on a test course. The corresponding approvals were also provided for 3.5 t class trailers (FTN, FTP & FTK) after the test.



### TOP DOOR

When transporting a vehicle with a long wheelbase, the strap over the front wheel can be tightened simply and conveniently through the door. In addition to direct access to operate the electronic winch, the door can also be used to store things in the trailer after loading.

## INTELLIGENT SOLUTIONS FOR EVERY SCENARIO.



### SLIDING CABLE WINCH

The sliding cable winch allows you to pull any vehicle into the trailer without any difficulty. No more unevenly wound winches, jamming, overloaded or crushed cables. What's more the coupling of the vehicle is protected and loading made safer.


### RADIO CONTROL

Radio control facilitates more comfortable loading and unloading by enabling a single person to conveniently control the loading from inside the vehicle.



### MIRROR SYSTEM

The three-part mirror system enables you to check distances at the front and sides while sitting in your vehicle. This means that one person can drive a racing car in alone without any difficulty.



### REVERSE CAMERA

The reverse camera gives you a perfect overview when parking and manoeuvring and also increases the safety of handling.

### DEDICATED BATTERY

Our trailers can be fitted with their own additional batteries if required, ensuring that all of their safety mechanisms, loading functions and lights remain supplied and operable even when the trailer is unhitched.



### ALARM

Aside from the lockable coupling, an alarm system provides double security. Door contact switches, ultrasound sensors and motion sensors guarantee maximum protection against unauthorised entry.

### GPS TRACKING SYSTEM

A GPS tracking system enables your trailer to be located at any time and found quickly if stolen.

### LED INTERIOR LIGHTING

For exceptionally effective and energy-efficient illumination inside the trailer. All of the lights are conveniently controlled from the front-left corner pillar. Basic equipment includes LED lights at the front left and rear right, and further lights can be fitted if required.

### LED REAR LIGHT SIGNAL

The narrow LED lighting on the upper left and right are responsible for the additional display of lighting, brake lights and turn signal functions. When loading the trailer with the tailgate open, the taillights will be concealed underneath. The LED rear signal ensures that the trailer remains optimally visible on the road.





ADVICE  
GUARANTEE  
REPAIRS  
*MOETEFINDT*  
*SERVICE.*

A Moetefindt trailer offers you the utmost functionality, quality and durability. You can rely on our exceptional service for long-term satisfaction and the preservation of your valuable assets.

This includes our **24-month build guarantee**, and spare **parts supplied within 24 hours**. If you provide us with exact dimensions of the vehicle you want to load into your trailer, we can design the angle of approach and dimensions and we guarantee that you will be able to load your vehicle without damage. If you would like to visit us to find out more, or to service or convert an existing trailer, you can come to our headquarters in Buchholz near Hamburg.

---

**CONTACT:** Moetefindt Fahrzeugbau GmbH & Co. KG  
Braucherstraße 40 | 21244 Buchholz | Germany  
Phone: +49 (0) 4181 99 08 0  
Fax: +49 (0) 4181 99 08 22  
Internet: [www.moetefindt.de](http://www.moetefindt.de)  
E-mail: [info@moetefindt.de](mailto:info@moetefindt.de)

---

